

Personal Success Wellness
Consent for Thermage™ Treatment

The ThermaCool TC System is indicated for dermatological and general surgical procedures for electrocoagulation and hemostasis. Other uses are investigational and require patient consent.

ThermaCool TC Non-ablative Radio Frequency
Consent Form

Patient Name: _____

Date: _____

A member of the Hypatia Aesthetic & Laser Treatment Clinic staff has explained the nature of my condition, the nature of the procedure and its alternative treatments, and the benefits to be reasonably expected compared with alternative approaches. This document is a written confirmation of this discussion.

Just as there may be benefits to the procedures proposed, I understand that all procedures involve risks to some degree.

Pain – Some people may feel some pain with this treatment. The discomfort is usually temporary, lasting only a few seconds.

Reddening – Treatment may cause a reddening of the area. The reddening will usually go away in one to two hours after treatment. In some instances the redness can persist for several weeks.

Swelling – Treatment may cause swelling, which will usually go away in 3 to 5 days or less.

Bruising – Treatment may cause bruising, but this is extremely uncommon.

Pigment Changes – The treated area may heal with increased or decreased pigmentation (skin coloring). This occurs most often with darker pigmented skin and after exposure of the areas to the sun. You may have experienced this type of reaction before and noticed it with minor cuts or abrasions. The treated area must be protected from exposure to the sun (sunscreen for 2-3 weeks after treatment) to minimize the chances of too much pigmentation (hyperpigmentation). However in some subjects, hyperpigmentation may occur even if the area has been protected from the sun. These spots usually fade in three to six months; however, in some cases the pigment change is permanent. A reduction in pigment (hypopigmentation) is also possible, but this is a very uncommon effect.

Blistering/Burns – The procedure may produce heating in the upper layers of the skin resulting in blister formation. The blisters, which are uncommon, usually clear within two to four days.

Scabbing – A scab or crust may develop after the blister forms. The scabbing disappears during the natural wound healing process of the skin over 5 to 10 days.

Infection – An infection is rare following treatment if proper care is taken after the procedure.

Personal Success Wellness
Consent for Thermage™ Treatment

Scarring – There is a small chance of skin scarring because of the heat delivered to the skin. The types of possible scars include raised scars or slightly depressed scars. Scarring is a possibility.

Altered Sensation – There may be altered sensation, or permanent or transient nerve damage at the treatment site. However, this is extremely unlikely because the system has been designed to deliver a controlled application of energy to the tissue.

Noticeable Difference – Because all individuals are different, it is not possible to completely predict who will benefit from treatment with the ThermoCool device. Some patients will have terrific results, while others may have little or no improvement. Your physician has tried to predict as carefully as possible how you will do with treatment, but by signing this consent form you acknowledge that guarantees as to the final results of your treatment have not been made. It is also possible that additional treatments may be needed to achieve the desired end result, or that smaller touch-up procedures may be required. It is important to be aware that there is a fee associated with these additional procedures.

I am aware that other unexpected risks or complications may occur and that no guarantees or promises have been made to me concerning the results of any procedure or treatment. It has also been explained that during the course of the proposed procedures, unforeseen conditions may be revealed requiring performance of additional procedures.

-I have read this form and have discussed it with my physician, and I understand it.

-I request the performance of the procedure(s) described above.

Patient Signature

Date

I have explained the above statements to the patient and answered all questions.

Physician Signature/Clinical Staff Signature

Date

Personal Success Wellness
Consent for Thermage™ Treatment

The ThermaCool TC System is indicated for dermatological and general surgical procedures for electrocoagulation and hemostasis. Other uses are investigational and require patient consent.

ThermaCool TC Non-ablative Radio Frequency
Consent Form

Patient Name: _____

Date: _____

A member of the Hypatia Aesthetic & Laser Treatment Clinic staff has explained the nature of my condition, the nature of the procedure and its alternative treatments, and the benefits to be reasonably expected compared with alternative approaches. This document is a written confirmation of this discussion.

Just as there may be benefits to the procedures proposed, I understand that all procedures involve risks to some degree.

Pain – Some people may feel some pain with this treatment. The discomfort is usually temporary, lasting only a few seconds.

Reddening – Treatment may cause a reddening of the area. The reddening will usually go away in one to two hours after treatment. In some instances the redness can persist for several weeks.

Swelling – Treatment may cause swelling, which will usually go away in 3 to 5 days or less.

Bruising – Treatment may cause bruising, but this is extremely uncommon.

Pigment Changes – The treated area may heal with increased or decreased pigmentation (skin coloring). This occurs most often with darker pigmented skin and after exposure of the areas to the sun. You may have experienced this type of reaction before and noticed it with minor cuts or abrasions. The treated area must be protected from exposure to the sun (sunscreen for 2-3 weeks after treatment) to minimize the chances of too much pigmentation (hyperpigmentation). However in some subjects, hyperpigmentation may occur even if the area has been protected from the sun. These spots usually fade in three to six months; however, in some cases the pigment change is permanent. A reduction in pigment (hypopigmentation) is also possible, but this is a very uncommon effect.

Blistering/Burns – The procedure may produce heating in the upper layers of the skin resulting in blister formation. The blisters, which are uncommon, usually clear within two to four days.

Scabbing – A scab or crust may develop after the blister forms. The scabbing disappears during the natural wound healing process of the skin over 5 to 10 days.

Infection – An infection is rare following treatment if proper care is taken after the procedure.

Personal Success Wellness
Consent for Thermage™ Treatment

Scarring – There is a small chance of skin scarring because of the heat delivered to the skin. The types of possible scars include raised scars or slightly depressed scars. Scarring is a possibility.

Altered Sensation – There may be altered sensation, or permanent or transient nerve damage at the treatment site. However, this is extremely unlikely because the system has been designed to deliver a controlled application of energy to the tissue.

Noticeable Difference – Because all individuals are different, it is not possible to completely predict who will benefit from treatment with the ThermoCool device. Some patients will have terrific results, while others may have little or no improvement. Your physician has tried to predict as carefully as possible how you will do with treatment, but by signing this consent form you acknowledge that guarantees as to the final results of your treatment have not been made. It is also possible that additional treatments may be needed to achieve the desired end result, or that smaller touch-up procedures may be required. It is important to be aware that there is a fee associated with these additional procedures.

I am aware that other unexpected risks or complications may occur and that no guarantees or promises have been made to me concerning the results of any procedure or treatment. It has also been explained that during the course of the proposed procedures, unforeseen conditions may be revealed requiring performance of additional procedures.

-I have read this form and have discussed it with my physician, and I understand it.

-I request the performance of the procedure(s) described above.

Patient Signature

Date

I have explained the above statements to the patient and answered all questions.

Physician Signature/Clinical Staff Signature

Date

Personal Success Wellness
Consent for Thermage™ Treatment

The ThermaCool TC System is indicated for dermatological and general surgical procedures for electrocoagulation and hemostasis. Other uses are investigational and require patient consent.

ThermaCool TC Non-ablative Radio Frequency
Consent Form

Patient Name: _____

Date: _____

A member of the Hypatia Aesthetic & Laser Treatment Clinic staff has explained the nature of my condition, the nature of the procedure and its alternative treatments, and the benefits to be reasonably expected compared with alternative approaches. This document is a written confirmation of this discussion.

Just as there may be benefits to the procedures proposed, I understand that all procedures involve risks to some degree.

Pain – Some people may feel some pain with this treatment. The discomfort is usually temporary, lasting only a few seconds.

Reddening – Treatment may cause a reddening of the area. The reddening will usually go away in one to two hours after treatment. In some instances the redness can persist for several weeks.

Swelling – Treatment may cause swelling, which will usually go away in 3 to 5 days or less.

Bruising – Treatment may cause bruising, but this is extremely uncommon.

Pigment Changes – The treated area may heal with increased or decreased pigmentation (skin coloring). This occurs most often with darker pigmented skin and after exposure of the areas to the sun. You may have experienced this type of reaction before and noticed it with minor cuts or abrasions. The treated area must be protected from exposure to the sun (sunscreen for 2-3 weeks after treatment) to minimize the chances of too much pigmentation (hyperpigmentation). However in some subjects, hyperpigmentation may occur even if the area has been protected from the sun. These spots usually fade in three to six months; however, in some cases the pigment change is permanent. A reduction in pigment (hypopigmentation) is also possible, but this is a very uncommon effect.

Blistering/Burns – The procedure may produce heating in the upper layers of the skin resulting in blister formation. The blisters, which are uncommon, usually clear within two to four days.

Scabbing – A scab or crust may develop after the blister forms. The scabbing disappears during the natural wound healing process of the skin over 5 to 10 days.

Infection – An infection is rare following treatment if proper care is taken after the procedure.

Personal Success Wellness
Consent for Thermage™ Treatment

Scarring – There is a small chance of skin scarring because of the heat delivered to the skin. The types of possible scars include raised scars or slightly depressed scars. Scarring is a possibility.

Altered Sensation – There may be altered sensation, or permanent or transient nerve damage at the treatment site. However, this is extremely unlikely because the system has been designed to deliver a controlled application of energy to the tissue.

Noticeable Difference – Because all individuals are different, it is not possible to completely predict who will benefit from treatment with the ThermoCool device. Some patients will have terrific results, while others may have little or no improvement. Your physician has tried to predict as carefully as possible how you will do with treatment, but by signing this consent form you acknowledge that guarantees as to the final results of your treatment have not been made. It is also possible that additional treatments may be needed to achieve the desired end result, or that smaller touch-up procedures may be required. It is important to be aware that there is a fee associated with these additional procedures.

I am aware that other unexpected risks or complications may occur and that no guarantees or promises have been made to me concerning the results of any procedure or treatment. It has also been explained that during the course of the proposed procedures, unforeseen conditions may be revealed requiring performance of additional procedures.

-I have read this form and have discussed it with my physician, and I understand it.

-I request the performance of the procedure(s) described above.

Patient Signature

Date

I have explained the above statements to the patient and answered all questions.

Physician Signature/Clinical Staff Signature

Date

Personal Success Wellness
Consent for Thermage™ Treatment

The ThermaCool TC System is indicated for dermatological and general surgical procedures for electrocoagulation and hemostasis. Other uses are investigational and require patient consent.

ThermaCool TC Non-ablative Radio Frequency
Consent Form

Patient Name: _____

Date: _____

A member of the Hypatia Aesthetic & Laser Treatment Clinic staff has explained the nature of my condition, the nature of the procedure and its alternative treatments, and the benefits to be reasonably expected compared with alternative approaches. This document is a written confirmation of this discussion.

Just as there may be benefits to the procedures proposed, I understand that all procedures involve risks to some degree.

Pain – Some people may feel some pain with this treatment. The discomfort is usually temporary, lasting only a few seconds.

Reddening – Treatment may cause a reddening of the area. The reddening will usually go away in one to two hours after treatment. In some instances the redness can persist for several weeks.

Swelling – Treatment may cause swelling, which will usually go away in 3 to 5 days or less.

Bruising – Treatment may cause bruising, but this is extremely uncommon.

Pigment Changes – The treated area may heal with increased or decreased pigmentation (skin coloring). This occurs most often with darker pigmented skin and after exposure of the areas to the sun. You may have experienced this type of reaction before and noticed it with minor cuts or abrasions. The treated area must be protected from exposure to the sun (sunscreen for 2-3 weeks after treatment) to minimize the chances of too much pigmentation (hyperpigmentation). However in some subjects, hyperpigmentation may occur even if the area has been protected from the sun. These spots usually fade in three to six months; however, in some cases the pigment change is permanent. A reduction in pigment (hypopigmentation) is also possible, but this is a very uncommon effect.

Blistering/Burns – The procedure may produce heating in the upper layers of the skin resulting in blister formation. The blisters, which are uncommon, usually clear within two to four days.

Scabbing – A scab or crust may develop after the blister forms. The scabbing disappears during the natural wound healing process of the skin over 5 to 10 days.

Infection – An infection is rare following treatment if proper care is taken after the procedure.

Personal Success Wellness
Consent for Thermage™ Treatment

Scarring – There is a small chance of skin scarring because of the heat delivered to the skin. The types of possible scars include raised scars or slightly depressed scars. Scarring is a possibility.

Altered Sensation – There may be altered sensation, or permanent or transient nerve damage at the treatment site. However, this is extremely unlikely because the system has been designed to deliver a controlled application of energy to the tissue.

Noticeable Difference – Because all individuals are different, it is not possible to completely predict who will benefit from treatment with the ThermoCool device. Some patients will have terrific results, while others may have little or no improvement. Your physician has tried to predict as carefully as possible how you will do with treatment, but by signing this consent form you acknowledge that guarantees as to the final results of your treatment have not been made. It is also possible that additional treatments may be needed to achieve the desired end result, or that smaller touch-up procedures may be required. It is important to be aware that there is a fee associated with these additional procedures.

I am aware that other unexpected risks or complications may occur and that no guarantees or promises have been made to me concerning the results of any procedure or treatment. It has also been explained that during the course of the proposed procedures, unforeseen conditions may be revealed requiring performance of additional procedures.

-I have read this form and have discussed it with my physician, and I understand it.

-I request the performance of the procedure(s) described above.

Patient Signature

Date

I have explained the above statements to the patient and answered all questions.

Physician Signature/Clinical Staff Signature

Date

Personal Success Wellness
Consent for Thermage™ Treatment

The ThermaCool TC System is indicated for dermatological and general surgical procedures for electrocoagulation and hemostasis. Other uses are investigational and require patient consent.

ThermaCool TC Non-ablative Radio Frequency
Consent Form

Patient Name: _____

Date: _____

A member of the Hypatia Aesthetic & Laser Treatment Clinic staff has explained the nature of my condition, the nature of the procedure and its alternative treatments, and the benefits to be reasonably expected compared with alternative approaches. This document is a written confirmation of this discussion.

Just as there may be benefits to the procedures proposed, I understand that all procedures involve risks to some degree.

Pain – Some people may feel some pain with this treatment. The discomfort is usually temporary, lasting only a few seconds.

Reddening – Treatment may cause a reddening of the area. The reddening will usually go away in one to two hours after treatment. In some instances the redness can persist for several weeks.

Swelling – Treatment may cause swelling, which will usually go away in 3 to 5 days or less.

Bruising – Treatment may cause bruising, but this is extremely uncommon.

Pigment Changes – The treated area may heal with increased or decreased pigmentation (skin coloring). This occurs most often with darker pigmented skin and after exposure of the areas to the sun. You may have experienced this type of reaction before and noticed it with minor cuts or abrasions. The treated area must be protected from exposure to the sun (sunscreen for 2-3 weeks after treatment) to minimize the chances of too much pigmentation (hyperpigmentation). However in some subjects, hyperpigmentation may occur even if the area has been protected from the sun. These spots usually fade in three to six months; however, in some cases the pigment change is permanent. A reduction in pigment (hypopigmentation) is also possible, but this is a very uncommon effect.

Blistering/Burns – The procedure may produce heating in the upper layers of the skin resulting in blister formation. The blisters, which are uncommon, usually clear within two to four days.

Scabbing – A scab or crust may develop after the blister forms. The scabbing disappears during the natural wound healing process of the skin over 5 to 10 days.

Infection – An infection is rare following treatment if proper care is taken after the procedure.

Personal Success Wellness
Consent for Thermage™ Treatment

Scarring – There is a small chance of skin scarring because of the heat delivered to the skin. The types of possible scars include raised scars or slightly depressed scars. Scarring is a possibility.

Altered Sensation – There may be altered sensation, or permanent or transient nerve damage at the treatment site. However, this is extremely unlikely because the system has been designed to deliver a controlled application of energy to the tissue.

Noticeable Difference – Because all individuals are different, it is not possible to completely predict who will benefit from treatment with the ThermoCool device. Some patients will have terrific results, while others may have little or no improvement. Your physician has tried to predict as carefully as possible how you will do with treatment, but by signing this consent form you acknowledge that guarantees as to the final results of your treatment have not been made. It is also possible that additional treatments may be needed to achieve the desired end result, or that smaller touch-up procedures may be required. It is important to be aware that there is a fee associated with these additional procedures.

I am aware that other unexpected risks or complications may occur and that no guarantees or promises have been made to me concerning the results of any procedure or treatment. It has also been explained that during the course of the proposed procedures, unforeseen conditions may be revealed requiring performance of additional procedures.

-I have read this form and have discussed it with my physician, and I understand it.

-I request the performance of the procedure(s) described above.

Patient Signature

Date

I have explained the above statements to the patient and answered all questions.

Physician Signature/Clinical Staff Signature

Date

Personal Success Wellness
Consent for Thermage™ Treatment

The ThermaCool TC System is indicated for dermatological and general surgical procedures for electrocoagulation and hemostasis. Other uses are investigational and require patient consent.

ThermaCool TC Non-ablative Radio Frequency
Consent Form

Patient Name: _____

Date: _____

A member of the Hypatia Aesthetic & Laser Treatment Clinic staff has explained the nature of my condition, the nature of the procedure and its alternative treatments, and the benefits to be reasonably expected compared with alternative approaches. This document is a written confirmation of this discussion.

Just as there may be benefits to the procedures proposed, I understand that all procedures involve risks to some degree.

Pain – Some people may feel some pain with this treatment. The discomfort is usually temporary, lasting only a few seconds.

Reddening – Treatment may cause a reddening of the area. The reddening will usually go away in one to two hours after treatment. In some instances the redness can persist for several weeks.

Swelling – Treatment may cause swelling, which will usually go away in 3 to 5 days or less.

Bruising – Treatment may cause bruising, but this is extremely uncommon.

Pigment Changes – The treated area may heal with increased or decreased pigmentation (skin coloring). This occurs most often with darker pigmented skin and after exposure of the areas to the sun. You may have experienced this type of reaction before and noticed it with minor cuts or abrasions. The treated area must be protected from exposure to the sun (sunscreen for 2-3 weeks after treatment) to minimize the chances of too much pigmentation (hyperpigmentation). However in some subjects, hyperpigmentation may occur even if the area has been protected from the sun. These spots usually fade in three to six months; however, in some cases the pigment change is permanent. A reduction in pigment (hypopigmentation) is also possible, but this is a very uncommon effect.

Blistering/Burns – The procedure may produce heating in the upper layers of the skin resulting in blister formation. The blisters, which are uncommon, usually clear within two to four days.

Scabbing – A scab or crust may develop after the blister forms. The scabbing disappears during the natural wound healing process of the skin over 5 to 10 days.

Infection – An infection is rare following treatment if proper care is taken after the procedure.

Personal Success Wellness
Consent for Thermage™ Treatment

Scarring – There is a small chance of skin scarring because of the heat delivered to the skin. The types of possible scars include raised scars or slightly depressed scars. Scarring is a possibility.

Altered Sensation – There may be altered sensation, or permanent or transient nerve damage at the treatment site. However, this is extremely unlikely because the system has been designed to deliver a controlled application of energy to the tissue.

Noticeable Difference – Because all individuals are different, it is not possible to completely predict who will benefit from treatment with the ThermoCool device. Some patients will have terrific results, while others may have little or no improvement. Your physician has tried to predict as carefully as possible how you will do with treatment, but by signing this consent form you acknowledge that guarantees as to the final results of your treatment have not been made. It is also possible that additional treatments may be needed to achieve the desired end result, or that smaller touch-up procedures may be required. It is important to be aware that there is a fee associated with these additional procedures.

I am aware that other unexpected risks or complications may occur and that no guarantees or promises have been made to me concerning the results of any procedure or treatment. It has also been explained that during the course of the proposed procedures, unforeseen conditions may be revealed requiring performance of additional procedures.

-I have read this form and have discussed it with my physician, and I understand it.

-I request the performance of the procedure(s) described above.

Patient Signature

Date

I have explained the above statements to the patient and answered all questions.

Physician Signature/Clinical Staff Signature

Date